

NOV-1 3 2007

PATENT APPLICATION

HEWLETT-PACKARD COMPANY Intellectual Property Administration P.O. Box 272400 Fort Collins, Colorado 80527-2400

ATTORNEY DOCKET NO. \_

200300734-1

#### IN THE

#### UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor(s):

David Champion et al.

Confirmation No.: 6089

Application No.: 10/767,732

Examiner: Natalie K. Walford

Filing Date:

01/28/2004

Group Art Unit: 2879

Title: PHOTONIC CRYSTAL FILAMENT AND METHODS

Mail Stop Appeal Brief-Patents Commissioner For Patents PO Box 1450 Alexandria, VA 22313-1450

#### TRANSMITTAL OF APPEAL BRIEF Transmitted herewith is the Appeal Brief in this application with respect to the Notice of Appeal filed on The fee for filing this Appeal Brief is \$510.00 (37 CFR 41.20). No Additional Fee Required. (complete (a) or (b) as applicable) The proceedings herein are for a patent application and the provisions of 37 CFR 1.136(a) apply. (a) Applicant petitions for an extension of time under 37 CFR 1.136 (fees: 37 CFR 1.17(a)-(d)) for the total number of months checked below: 2nd Month 3rd Month 4th Month 1st Month \$460 \$1050 \$1640 ☐ The extension fee has already been filed in this application. [X] (b) Applicant believes that no extension of time is required. However, this conditional petition is being made to provide for the possibility that applicant has inadvertently overlooked the need for a petition and fee for extension of time. Please charge to Deposit Account 08-2025 the sum of \$ 00 . At any time during the pendency of this application, please charge any fees required or credit any over payment to Deposit Account 08-2025 pursuant to 37 CFR 1.25. Additionally please charge any fees to Deposit Account 08-2025 under 37 CFR 1.16 through 1.21 inclusive, and any other sections in Title 37 of the Code of Federal Regulations that may regulate fees. A duplicate copy of this transmittal letter is enclosed. I hereby certify that this correspondence is being Respectfully submitted, deposited with the United States Postal Service as first David Champion et al. class mail in an envelope addressed to: Commissioner for Patents, Alexandria, VA 22313-1450 Date of Deposit: Theodore R. Touw I hereby certify that this paper is being transmitted to Attorney/Agent for Applicant(s) the Patent and Trademark Office facsimile number (571)273-8300. Reg No.: 36,702 Date of (acsimile: 11/13/2007 Date: 11/13/2007 Theodore R. Touw

Rev 10/07(AplBrief)

Signature:

Telephone:

(541) 967-9133

p.2

## NOV 1 3 2007

**HEWLETT-PACKARD COMPANY** Intellectual Property Administration P.O. Box 272400 Fort Collins, Colorado 80527-2400

PATENT APPLICATION

ATTORNEY DOCKET NO. \_\_\_\_\_200300734-1

## IN THE

## UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor(s): David Champion et al. Confirmation No.: 6089

Application No.: 10/767,732

Examiner: Natalie K. Walford

Filing Date: 01/28/2004

Group Art Unit: 2879

Title: PHOTONIC CRYSTAL FILAMENT AND METHODS

Mail Stop Appeal Brief-Patents			
Commissioner For Patents PO Box 1450 Alexandria, VA 22313-1450			
	PE APPEAL BRIEF		
Transmitted herewith is the Appeal Brief in this application wit	h respect to the Notice of Appeal filed	on <u>11/13/2007</u> .	
The fee for filing this Appeal Brief is \$510.00 (37 CFR 41.	20).		
No Additional Fee Required.			
(complete (a) or	b) as applicable)		
The proceedings herein are for a patent application and the p	rovisions of 37 CFR 1,136(a) apply.		
(a) Applicant petitions for an extension of time under 37 months checked below:	CFR 1.136 (fees: 37 CFR 1.17(a)-(d	)) for the total number of	
1st Month 2nd Month \$460	3rd Month \$1050	4th Month \$1640	
The extension fee has already been filed in this applicate     (b) Applicant believes that no extension of time is required the possibility that applicant has inadvertently overlook. Please charge to Deposit Account 08-2025 the sum of please charge any fees required or credit any over paying Additionally please charge any fees to Deposit Account 08-2 sections in Title 37 of the Code of Federal Regulations that metallic please in the code of Federal Regulations that metallic please in Title 37 of the Code of Federal Regulations that metallic please in the code of Federal Regulations.	However, this conditional petition is and the need for a petition and fee for a condition and the petition of the condition of the condition and condition are conditionally as a condition of the condition and condition are conditionally as a condition are conditionally as a condition are conditionally as a conditional petition is a conditional petition and fee for a conditional petition and conditional pe	extension of time.  Indency of this application, ursuant to 37 CFR 1.25.	
☒ A duplicate copy of this transmittal letter is enclosed.			
I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to:	Respectfully submitted,		
	David Champion et al.		
Commissioner for Patents, Alexandria, VA 22313-1450	By T. Sou	w	
Date of Deposit:	Therefore D. Terror	<del>-</del>	
OR .		Theodore R. Touw	
I hereby certify that this paper is being transmitted to the Patent and Trademark Office facsimile number (571)273-8300.	Attorney/Agent for Applicants  Reg No.: 36,702	<b>3)</b>	
Oate of facsimile: 11/13/2007	Date: 11/13/2007	,	
Typed Name: Theodore R. Touw Signature: Theodore R. Touw	Telephone : (541) 967-9		
Rev 10/07(ApiBrief)			

# GENTRAL EAX CENTER

#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

NOV 1 3 2007

#### BEFORE THE BOARD OF PATENT APPEALS AND INTERFERENCES

Appellants: David Champion et al.	) ) Date: November 13, 2007
Serial No. 10/767,732 Confirmation No. 6089	) Group Art Unit: 2879
Filed 01/28/2004	Examiner: Walford, Natalie K.
Title: PHOTONIC-CRYSTAL FILAMENT AND METHODS	) }

#### APPEAL BRIEF

Mail Stop Appeal Brief - Patents Commissioner for Patents PO Box 1450 Alexandria, VA 22313-1450

Sir:

£.q

#### 1. Real Party in Interest

The real party in interest is Hewlett-Packard Development Company, LP, a limited partnership established under the laws of the State of Texas and having a principal place of business at 20555 S.H. 249, Houston, TX 77070, U.S.A. (hereinafter "HPDC"). HPDC is a Texas limited partnership and is a wholly-owned affiliate of Hewlett-Packard Company, a Delaware corporation, headquartered in Palo Alto, California. The general or managing partner of HPDC is HPQ Holdings, LLC.

#### 2. Related Appeals and Interferences

There are no related appeals or interferences that will directly affect, be directly affected by, or have a bearing on the present appeal, that are known to Appellants or Appellants' patent representative.

- Page 1 -

#### 3. Status of Claims

Claims 1 – 66 were originally pending in the application. In a first substantive Office Action mailed on June 6, 2006, claims 2, 11 - 25, 37 - 39, 41 – 43, and 51 – 66 were withdrawn from consideration based on an earlier restriction requirement dated February 6, 2006 and on a subsequent election response by Appellants on March 6, 2006, which response included amendment of claims 27, 37 - 39, 45 - 50, 52 - 59, 61, 65, and 66 to correct improper dependencies. In response to the first substantive Office Action mailed on June 6, 2006, Appellants amended claims 1 and 44. This is an appeal from both the Final Office Action of November 3, 2006 (finally rejecting claims 1, 3 – 10, 26 – 36, 40, and 44 – 50) and the Office Action of August 24, 2007 (reopening prosecution and rejecting claims 1, 3 – 10, 26 – 40, and 44 - 50 on new grounds). The present appeal is directed to claims 1, 3 - 10, 26 – 40, and 44 – 50, i.e., all of the claims that stand rejected in this application.

#### 4. Status of Amendments

4519-736-143

No amendments were filed after the Final Office Action of November 3, 2006.

#### 5. **Summary of Claimed Subject Matter**

In this section, insertions within square brackets [] indicate references to specific page and line numbers or paragraph numbers in the original specification, and reference numerals in bold type refer to the original drawings.

Claim 1 is directed to a method for forming a photonic-crystal filament (10), the method [specification pages 4 - 6, paragraphs 19 - 23, and FIGS 1, 2A, and 2B) comprising steps of:

a) mixing a slurry (15) comprising particles (11) of substantially uniform size and a precursor material for a desired metal (step \$10);

- Page 2 -

- b) urging the slurry (15) through an orifice (35) while forcing the particles and precursor material into a combination having a desired crystallographic configuration (steps \$30 and \$40);
- c) drying the combination (45) having a desired crystallographic configuration emerging from the orifice (35) (step \$50); and
- d) sintering the precursor material (step \$70), whereby a photonic-crystal filament (10) is formed.

Claim 44 is directed to a method of cladding a metal filament, the method [specification pages 12 - 13, paragraphs 38 - 41, and FIGS. 3A - 3B] comprising the steps of:

- a) providing a metal filament (110) (step S20);
- b) mixing a slurry (15) comprising particles (11) of substantially uniform size and a precursor material for a desired metal (step S10);
- c) urging the metal filament (110) and the slurry (15) through an orifice (35) while forcing the particles and precursor material into a combination (45) having a desired crystal configuration surrounding the metal filament (step \$40);
- d) drying the combination (45) having the desired crystallographic configuration emerging from the orifice (step \$50);
  - e) sintering the precursor material (step \$70); and
- f) compressing the precursor material within a sheath (100) (step S60), while drawing the filament (110) and sheath (100) through a series of two or more successively smaller dies (115), whereby the filament (110) is clad with a photonic crystal (10).

## 6. Grounds of Rejection to be Reviewed on Appeal

The issues on appeal include whether the Examiner erred in rejecting claims 1, 3-5, 8, 29-32, 36, 40, 44-48, and 50 under 35 U.S.C. § 103(a) as being unpatentable over Enokido et al. (published U.S. patent application 2004/0255841) in view of Saha et al. (U.S. Pat. No. 5,268,249); whether the Examiner erred in rejecting claims 6, 7, 26-28, 33-35, and 49 under 35 USC

451967-9134

§ 103(a) as being unpatentable over Enokido et al. in view of Saha et al. (US 5,268,249) and further in view of Fleming et al. (U.S. Pat. No. 6,768,256); and whether the Examiner erred in rejecting claims 9 and 10 under 35 USC § 103(a) as being unpatentable over Enokido et al. in view of Saha et al. (US 5,268,249) in view of Kodas et al. (published U.S. patent application US 2003/0175411).

The record does not indicate that any of the restrictions made earlier have been withdrawn or any claim(s) rejoined. Therefore, the issues on appeal further include whether the Examiner erred in rejecting claims 37 – 39 (previously withdrawn from consideration) in the Office Action Summary of August 24, 2007 without stating any grounds for rejection of those three claims.

The record also does not indicate that any of the rejections made earlier (in the Final Office Action of November 3, 2006 finally rejecting claims 1, 3-10, 26-36, 40, and 44-50) have been withdrawn. Therefore, these earlier rejections are also appealed. Thus, the issues on appeal further include whether the Examiner erred in rejecting claims 1, 4-5, 31, 36, and 40 under 35 U.S.C. § 102(e) as anticipated by Enokido et al. (published U.S. patent application 2004/0255841); whether the Examiner erred in rejecting claims 3, 8, 29-30, 32, 44-48, and 50 under 35 USC § 103(a) as being unpatentable over Enokido et al.; whether the Examiner erred in rejecting claims 6-7, 26-28, 33-35, and 49 under 35 USC § 103(a) as being unpatentable over Enokido et al. in view of Fleming et al. (US 6,768,256); and whether the Examiner erred in rejecting claims 9 and 10 under 35 USC § 103(a) as being unpatentable over Enokido et al. in view of Kodas et al. (US 2003/0175411).

#### 7. Argument

#### I. Legal Standards

A. Law of Anticipation

751-967-9134

Claims 1, 4 - 5, 31, 36, and 40 have been rejected under 35 U.S.C.  $\S$  102 (e), which states:

A person shall be entitled to a patent unless - ...

(e) the invention was described in — (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent ...

Under Section 102, a claim is anticipated, i.e., rendered not novel, when a prior art reference discloses every limitation of the claim. In re Schreiber, 128 F.3rd 1473, 1477 (Fed. Cir.1997). Although a prior art device "may be capable of being modified to run the way the apparatus is claimed, there must be a suggestion or motivation in the reference to do so." In re Mills, 916 F.2d 680, 682 (Fed. Cir. 1990). "Rejections under 35 U.S.C. § 102(a) are proper only when the claimed subject matter is identically disclosed or described in the prior art." In re Arklely, Eardley, and Long, 172 U.S.P.Q. 524, 526 (CCPA 1972).

Claim terms will be given their ordinary and accustomed meaning, unless there is "an express intent to impart a novel meaning to [the] claim [term]" by the patentee. York Prods., Inc. v. Cent. Tractor Farm & Family Ctr., 99 F.3d 1568, 1572 (Fed. Cir. 1996); Sage Prods. v. Devon Indus., Inc., 126 F.3d 1420, 1423 (Fed. Cir. 1997). The ordinary and accustomed meaning of a claim term is determined by reference to dictionaries, encyclopedias, and treatises available at the time of the patent. See Texas Digital Systems, Inc. v. Telegenix, Inc., 308 F.3d at 1203. Such references are always available for claim construction purposes and are neither extrinsic nor intrinsic evidence. See Texas Digital Systems, Inc. v. Telegenix, Inc., 308 F.3d 1193, 1202-03 (Fed. Cir. 2002).

In order to impart a specific meaning to a claim term, i.e., for the inventor to be [his] own lexicographer, such lexicography must appear "with reasonable clarity, deliberateness, and precision." In re Paulsen, 30 F.3d 1475, 1480 (Fed. Cir. 1994). However, intrinsic evidence may be consulted to determine the definite meaning of a claim term that is unclear. <a href="CCS Fitness">CCS Fitness</a>, Inc. v. Brunswick Corp., 288 F.3d 1359, 1367 (Fed. Cir. 2002). A claim term may be redefined without any express statement of redefinition in the specification. Bell Atl.

Network Servs., Inc. v. Covad Communications Group, Inc., 262 F.3d 1258, 1268 (Fed. Cir. 2001). "[A] claim term will not carry its ordinary meaning if the intrinsic evidence shows that the patentee distinguished that term from prior art on the basis of a particular embodiment" or "described a particular embodiment as important to the invention."

#### B. Law of Obviousness

Claims 1, 3 – 10, 26 – 36, 40, and 44 – 50 stand rejected under 35 U.S.C. § 103(a), which states:

A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which sald subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The legal standards under 35 U.S.C. § 103(a) are well-settled. Obviousness under 35 U.S.C. § 103(a) involves four factual inquires: 1) the scope and content of the prior art; 2) the differences between the claims and the prior art; 3) the level of ordinary skill in the pertinent art; and 4) secondary considerations, if any, of nonobviousness. See <u>Graham v. John Deere Co.</u>, 383 U.S. 1, 148 U.S.P.Q. 459 (1966).

In proceedings before the Patent and Trademark Office, the Examiner bears the burden of establishing a prima facie case of obviousness based upon the prior art. <u>In re Piasecki</u>, 745 F.2d 1468, 1471-72, 223 U.S.P.Q. 785, 787-88 (Fed. Cir. 1984). "[The Examiner] can satisfy this burden only by showing some objective teaching in the prior art or that knowledge generally available to one of ordinary skill in the art would lead that individual to combine the relevant teachings of the references." <u>In re Fritch</u>, 972 F.2d 1260, 1265, 23 U.S.P.Q. 2d 1780, 1783 (Fed. Cir. 1992).

As noted by the Federal Circuit, the "factual inquiry whether to combine references must be thorough and searching." McGinley v. Franklin Sports, Inc.,

- Page 6 -

262 F.3d 1339, 60 U.S.P.Q. 2d 1001 (Fed. Cir. 2001). Further, it "must be based on objective evidence of record." In re Lee, 277 F.3d 1338, 61 U.S.P.Q. 2d 1430 (Fed. Cir. 2002). The teaching or suggestion to make the claimed combination must be found in the prior art, and not in the applicant's disclosure. In re Vaeck, 947 F.2d 488, 20 U.S.P.Q. 2d 1438 (Fed. Cir. 1991). The mere fact that references can be combined or modified does not render the resultant combination obvious unless the prior art also suggests the desirability of the combination. In re Mills, 916 F.2d 680, 16 U.S.P.Q. 2d 1430 (Fed. Cir. 1990). "It is improper, in determining whether a person of ordinary skill would have been led to this combination of references, simply to '[use] that which the inventor taught against its teacher." Lee (citing W.L. Gore v. Garlock, Inc., 721 F.2d 1540, 1553, 220 U.S.P.Q. 303, 312-13 (Fed. Cir. 1983)). Teaching away from the claimed invention is a strong indication of non-obviousness and an improper combination of references. U.S. v. Adams, 383 U.S. 39 (1966). As stated by the Federal Circuit in In re Ochiai, 71 F.3d 1565, 1572, 37 USPQ2d 1127, 1133 (Fed. Cir. 1995), "reliance on per se rules of obviousness is legally incorrect ..."

## II. Grouping of the following sections for clarity and for the convenience of the Board and the Examiner

The following sections of argument are grouped to consider first the rejections made in the Final Office Action of November 3, 2006, finally rejecting claims 1, 3 - 10, 26 - 36, 40, and 44 - 50, which rejections have not been withdrawn upon reopening of prosecution. These arguments, repeated from the appeal brief filed March 1, 2007, are presented in sections 7(III) - 7(VI) below.

The subsequent sections 7(VII) - 7(X) of argument below consider the rejections made in the Office Action of August 24, 2007, after the Examiner reopened prosecution. Where necessary, arguments are repeated in the two groups so that the two groups of arguments can be read independently.

- Page 7 -

III. The Examiner's Rejection of Claims 1, 4 – 5, 31, 36, and 40 under 35 U.S.C. § 102(e) as Being Anticipated by Enokido et al. (U.S. patent application 2004/0255841) Should Be Reversed Because Enokido et al. Does Not Disclose Every Limitation of Each of the Claims.

The claimed invention is not anticipated under § 102 unless each and every element of the claimed invention is found in the prior art. (<u>Hydratech, Inc. v. Monochronal Antibodies, Inc.</u>, Fed. Cir. 1986). Accordingly, the rejection of these claims under 35 U.S.C. § 102(b) is improper and should be reversed.

#### A. Claim 1

Independent Claim 1 is directed to a method including (emphasis added):

"b) urging the slurry through an orifice while forcing the particles and precursor material into a combination having a desired crystallographic configuration;" and

"c) drying the combination having a desired crystallographic configuration emerging from the orifice".

Neither Enokido et al. nor the material incorporated by reference from Sachs et al. discloses these limitations of claim 1. In the method of Enokido et al., their slurry is jetted in a layer onto a substrate and a *binder* is jetted in a predetermined three-dimensional periodic structure pattern (Enokido et al., paragraphs 13, 17, 27, 41, 43 – 45, and 54 – 58 and FIGS. 1, 2A – 25, and 3, for example). The *particles* within their slurry are not forced into a combination having a desired crystallographic configuration as recited in Appellants' claim 1.

#### B. Claim 4

7516-736-148

Claim 4 recites: "The method of claim 1, further comprising the step of:

f) heating the dried combination to remove the particles."

Regarding claim 4 specifically, the Examiner has stated that "Enokido discloses the method of claim 1, further comprising the step of f) heating the dried combination to remove the particles (paragraphs 41 – 49)." However, in the cited paragraphs of Enokido et al. solvents are removed by drying (optionally with heat), binder is dried (optionally with heat), and binder is cured by heat

- Page 8 -

treatment, but no particles are removed by heating. In paragraph 49 of Enokido et al., dielectric powder existing in the non-bound region is removed by dipping in water. Thus, contrary to the Examiner's assertion, Enokido et al. does not teach removal of particles by heating as recited in Appellants' claim 4.

#### C. Claim 5

Claim 5 recites: "The method of claim 4, wherein the heating step f) and the sintering step d) are performed simultaneously." The Examiner has stated that "Enokido discloses the method of claim 4 wherein the heating step f) and the sintering step d) are performed simultaneously (paragraph 52)." However, the cited paragraph 52 of Enokido et al. says nothing about simultaneous sintering and heating to remove particles. Thus, contrary to the Examiner's assertion, Enokido et al. does not teach removal of particles by heating and simultaneously performing sintering as recited in Appellants' claim 5.

#### D. Claim 31

Claim 31 recites: "The method of claim 1 wherein the particles comprise substantially spherical particles." The Examiner has stated that "Enokido discloses the method of claim 1 wherein the particles comprise substantially spherical particles (FIG. 8, item 61)." However, contrary to the Examiner's assertion, items 61 in FIG. 8 of Enokido et al. are not at all like the particles in the slurry of Appellants' claim 1; they are *drops of binder* 61 (Enokido, paragraphs 103 – 108). Thus, Enokido et al. does not teach the use of spherical particles in a slurry as recited in Appellants' claim 31.

## E. Claim 36

Claim 36 recites: "The method of claim 1, wherein the photonic-crystal filament has a desired photonic band-gap, and the substantially uniform size of the particles is adapted to provide the desired photonic band-gap."

Regarding claim 36 specifically, the Examiner has stated that "Enokido discloses the method of claim 1 wherein the photonic-crystal filament has a desired photonic band-gap, and the substantially uniform size of the particles is adapted to provide the desired photonic band-gap (paragraph 71). However,

- Page 9 -

contrary to the Examiner's assertion, the cited paragraph of Enokido et al. does not mention substantially uniform particle size or any particle size, but only the spacing of neighboring pillars and the periodic cycle of aligning the pillars. When Enokido et al. does mention particle size (paragraphs 74 and 78), it is only to recite preferred size ranges, not mentioning any uniformity requirement or any adaptive relationship to a desired photonic band-gap. Thus, Enokido et al. does not teach the subject matter of Appellants' claim 36.

### F. Claim 40

Dependent claim 40 recites: "The method of claim 1, wherein the photonic-crystal filament has a longitudinal axis, and a selected crystallographic axis of the desired crystallographic configuration is aligned parallel to the longitudinal axis of the photonic-crystal filament." The Examiner has earlier stated that FIG. 8, item 61 of Enokido et al. teaches the limitations of claim 40. However, item 61 is merely a binder (paragraphs 103 – 108 of Enokido et al.); it is neither a photonic-crystal filament nor a desired crystallographic configuration. Thus, neither that figure nor the associated specification of Enokido et al. teaches the subject matter of Appellants' claim 40.

Thus, the teachings of Enokido et al. fail to disclose every limitation of the rejected claims, and the rejections under 35 USC § 102(e) of claims 1, 4, 5, 31, 36, and 40 should therefore be reversed.

IV. The Examiner's Rejection of Claims 3, 8, 29-30, 32, 44-48, and 50 under 35 U.S.C. § 103(a) as Being Unpatentable over Enokido et al. (US 2004/0255841) Should be Reversed Because It Would Not Be Obvious to Modify Enokido et al. so as to Include Every Limitation of Each of the Claims.

In each of these rejections for obviousness, the Examiner has stated that Enokido et al. discloses the method of claim 1 and then has discussed the supposed obviousness of each dependent claim. The premise that Enokido et al. discloses the method of claim 1 is traversed hereinabove in the discussion of rejections under 35 U.S.C. § 102(e). In that discussion it has been shown that Enokido et al. fails to disclose every limitation of claim 1. Dependent claims 3,

- Page 10 -

8, 29, 30, and 32 inherit all the limitations of their parent independent claim 1. Therefore, for the same reasons stated above, Appellants respectfully request that these rejections of claims 3, 8, 29, 30, and 32 under 35 USC § 103(a) be reversed.

#### A. Claim 3

Claim 3 recites: "The method of claim 1, further comprising the step of: e) compressing the slurry."

The Examiner correctly stated that Enokido does not expressly disclose the further step of e) compressing the slurry as claimed by Appellants and that "Enokido does disclose that a slurry is stirred and then fed through the print heads (paragraph 96)." However, the Examiner then further asserted that "for the slurry to fit through the print heads, it would have to be compressed or reduced." There is no basis for this conclusion by the Examiner anywhere in Enokido et al. nor in the material incorporated by reference from Sachs et al. There is nothing anywhere in the record to support this conclusion by the Examiner.

#### B. Claim 8

Claim 8 recites: "The method of claim 1, further comprising the step of:

g) reducing the precursor material to metallic form."

Regarding claim 8, the Examiner correctly stated that Enokido does not expressly disclose the further step of "g) reducing the precursor material to metallic form" as claimed by Appellants. The Examiner stated that "Enokido does disclose that the slurry is of metallic form (paragraph 39); hence it would have been obvious to one having ordinary skill in the art at the time the invention was made that the precursor material would be of metallic form, since the slurry is as well." However, contrary to the Examiner's assertion, Appellants have not claimed that the precursor material in the slurry would be of metallic form. Appellants' dependent claim 8 claims the further step of reducing the precursor material to metallic form. Such a reducing step is not disclosed or fairly suggested by Enokido et al.

7516-736-143

#### C. Claims 29 and 30

The same reasoning applies to the rejections of claims 29 and 30, each of which, like claim 8, use a precursor material in dependent claims that depend upon claim 1, previously distinguished from Enokido et al. Claim 29 recites: "29. The method of claim 1, wherein the precursor material comprises an oxide of tungsten." Claim 30 recites: "30. The method of claim 1, wherein the precursor material comprises peroxopolytungstic acid." With regard to both claims 29 and 30, the Examiner has stated that it would have been obvious to have the precursor material comprise the claimed substance, "since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the purpose of using it for the precursor material." However, there is no support or suggestion in Enokido et al. or in any of the prior art of record for the Examiner's assertion that tungsten oxide or peroxopolytungstic acid as claimed are suitable for Appellants' purpose in these claims.

#### D. Claim 32

Claim 32 recites: "The method of claim 1 wherein the particles comprise non-spherical particles."

Regarding claim 32, the Examiner has correctly stated that Enokido does not expressly disclose that the particles comprise non-spherical particles as claimed by Appellants, but the Examiner has then stated that it would have been obvious "to change the shape of the particle to be non-spherical, since such a modification would have involved a mere change in the shape of the particle" and a "change of shape is generally recognized as being with (sic) the level of ordinary skill in the art." Appellants respectfully submit that reliance upon such a per se rule to show obviousness is clearly erroneous.

#### E. Claim 44

Independent claim 44 as amended recites:

- "44. A method of cladding a metal filament, the method comprising the steps of:
  - a) providing a metal filament;

7516-736-143

- Page 12 -

- b) mixing a slurry comprising particles of substantially uniform size and a precursor material for a desired metal;
- c) urging the metal filament and the slurry through an orifice while forcing the particles and precursor material into a combination having a desired crystal configuration surrounding the metal filament;
- d) drying the combination having the desired crystallographic configuration emerging from the orifice;
  - e) sintering the precursor material; and
- f) compressing the precursor material within a sheath, while drawing the filament and sheath through a series of two or more successively smaller dies, whereby the filament is clad with a photonic crystal."

The Examiner has asserted that specific identified portions of Enokido et al. disclose each of the paragraphs a) – e) of Appellants' claim 44, but not paragraph f). We consider each of these assertions in turn. The Examiner stated that Enokido et al. discloses "a) providing a metal filament" (paragraph 39). However, contrary to the Examiner's assertion, paragraph 39 of Enokido et al. does not disclose a filament of any kind. Nor does the material of Sachs et al., incorporated by reference in paragraph 39 of Enokido et al.

The Examiner stated that Enokido et al. discloses Appellants' paragraph "b) mixing a slurry comprising particles of substantially uniform size and a precursor material for a desired metal" (paragraphs 40 – 49 and FIG. 7, items 41a, 42a, and 43a). In FIG. 7, 41a is a slurry tank, 42a is unspecified, and 43a is a stirrer (paragraphs 96 – 98). However, contrary to the Examiner's assertion, paragraphs 40 – 49 of Enokido et al. do not disclose a slurry including a precursor material for a desired metal. The dielectric powder dispersed in the slurry of Enokido et al. may or may not comprise particles of substantially uniform size; Enokido et al. does not disclose the uniformity of their size distribution, except to say that "particle size of the dielectric powders falls between 0.5 and 2.0 .mu.m or so" (paragraph 74) and "their particle size preferably falls between 0.1 and 5.0 .mu.m, more preferably between 0.5 and 2.0 .mu.m" (paragraph 78). These particle-size ranges are so wide that they would not indicate substantial uniformity of particle size to a person of ordinary

skill in the art. Thus, the portion of Enokido et al. cited by the Examiner as disclosure of Appellants claim 44 paragraph b) does not disclose the claimed subject matter.

The Examiner stated that Enokido et al. discloses Appellants' paragraph "c) urging the metal filament and the slurry through an orifice while forcing the particles and precursor material into a combination having a desired crystal configuration surrounding the metal filament" (FIG. 7, item 46a and paragraphs 41 – 49). However, contrary to the Examiner's assertion, Enokido et al. discloses no such thing. Neither Enokido et al. nor the material incorporated by reference discloses urging a metal filament and the slurry through an orifice while forcing the particles and precursor material into a combination having a desired crystal configuration surrounding a metal filament as claimed by Appellants. Paragraph 79 of Enokido et al. recites: "The heads 45a to 45k are equipped with nozzles 46a to 46k, respectively, via which fine drops 33 of each slurry or binder are jetted out onto the substrate 31." There is no metal filament disclosed anywhere in Enokido et al. nor in the material incorporated by reference into Enokido et al.

The Examiner stated that Enokido et al. discloses Appellants' paragraph "d) drying the combination having the desired crystallographic configuration" (paragraph 47) "emerging from the orifice" (paragraphs 41 – 50). However, contrary to the Examiner's assertion, paragraph 47 of Enokido et al. discloses a step S7 of curing a binder. The slurry-drying step S3 of Enokido et al. (described in paragraph 41) removes solvent from a layer of dielectric that has not yet been formed in a three-dimensional periodic structure of the photonic crystal. Their three-dimensional periodic structure is not formed until step S4 of binder printing (paragraphs 43 – 44 and FIG. 1) which occurs only after their slurry-drying step S3. Thus, again, the claimed subject matter of Appellants' claim 44 paragraph d) is not disclosed by Enokido et al.

The Examiner stated that Enokido et al. discloses Appellants' paragraph "e) sintering the precursor material" (paragraph 52). The cited paragraph discloses sintering of the shaped body disclosed by Enokido et al. As pointed

- Page 14 -

out hereinabove, Enokido et al. does not disclose a slurry including a precursor material for a desired metal. Therefore, the shaped body sintered in paragraph 52 of Enokido et al. does not correspond to Appellants' "precursor material." Thus, Enokido et al. does not disclose Appellants' paragraph e).

The Examiner has correctly noted that Enokido et al. does not disclose compressing the precursor material within a sheath, while drawing the filament and sheath through a series of two or more successively smaller dies, whereby the filament is clad with a photonic crystal, as recited in Appellants' claim 44 paragraph f). However, the Examiner then cites the disclosure of Enokido et al. that a slurry is stirred in a "sheath" (i.e., Enokido's tank in the Examiner's interpretation) and "then fed though print heads such that the filament and photonic crystal are mixed (paragraph 96)". However, contrary to the Examiner's assertion, Enokido's tank is not a sheath surrounding a filament, and no filament and photonic crystal are mixed in Enokido's tank. Paragraph 96 of Enokido et al. clearly describes what is happening in their tanks 41a – 41k; Slurries (prepared by dispersing a dielectric powder in a solvent and a binder) are stirred so that the dielectric powder does not deposit in the tanks. The slurries and the binder pooled in the tanks are fed to corresponding jet printheads 45a – 45k. This bears no resemblance to the subject matter of Appellants' claim 44, paragraph f).

Appellants respectfully submit that it appears that for each feature of Appellants' claim 44, disparate elements disclosed by Enokido et al. have been selected and interpreted by the Examiner with the benefit of hindsight to attempt to fit those elements to the limitations of the claim. The Examiner has not presented a proper *prima facie* case of obviousness of claim 44.

#### F. Claim 45

Claim 45 recites: "The clad filament formed by the cladding method of claim 44." Regarding claim 45, the Examiner has stated that "to be entitled to weight in method claims, the recited structure limitations must affect the method in a manipulative sense, and not to amount to the mere claiming of a particular structure, such as the clad filament" (Final Office Action, page 6). However,

- Page 15 -

claim 45 is a product-by-process claim, dependent upon method claim 44. All the manipulative steps necessary to form the structure are recited in the independent parent claim 44.

#### G. Claim 46

Claim 46 recites: "The method of claim 44, further comprising the step of: g) compressing the slurry."

Regarding claim 46, the Examiner has correctly stated that Enokido et al. does not expressly disclose the further step "g) compressing the slurry" as claimed by Appellants. The Examiner then asserted that Enokido discloses that the slurry is stirred and then fed through the print heads (paragraph 96) and "therefore, for the slurry to fit through the print heads, it would have to be compressed or reduced as claimed." However, Enokido et al. teach in paragraph 97 that the jet printheads may jet out the liquid drops "based on their thermal expansion caused by a heater equipped thereto." Such thermal expansion is clearly not the compression that the Examiner concluded would be required. As pointed out hereinabove in connection with claim 3, there is no basis for this conclusion by the Examiner anywhere in Enokido et al. nor in the material incorporated by reference from Sachs et al. There is nothing anywhere in the record to support this conclusion by the Examiner.

#### H. Claim 47

Claim 47 recites: "The method of claim 44, further comprising the step of: h) heating the dried combination to remove the particles."

Regarding claim 47, the Examiner has stated that Enokido discloses the method further comprising the step of "h) heating the dried combination to remove the particles" (paragraphs 41 - 49). However, contrary to the Examiner's assertion, Enokido et al. teaches removing unbound dielectric powder particles by dipping in water (referred to as re-dispersion) (paragraph 49), not by heating as recited in Appellants' claim. Thus, again, Enokido et al. does not disclose or fairly suggest the subject matter of Appellants' invention as claimed.

- Page 16 -

#### I. Claim 48

Claim 48 recites: "The method of claim 47, wherein the heating step h) and the sintering step e) are performed simultaneously." Regarding claim 48, the Examiner has stated that Enokido discloses the method of claim 48 (paragraph 52). However, contrary to the Examiner's assertion, paragraph 52 of Enokido et al. recites in pertinent part (emphasis added): "After the drying step 59, the shaped body may be fired into a sintered body in the next firing step 10." Thus, Enokido et al. clearly teaches sequential steps, not simultaneous performance of two steps. Thus, again Enokido et al. fails to teach or fairty suggest the claimed subject matter.

#### J. Claim 50

Claim 50 recites: "The method of claim 44, wherein the precursor material comprises a metal oxide." Regarding claim 50, the Examiner has correctly stated that Enokido does not disclose that a precursor material comprises a metal oxide as claimed by Appellants, but the Examiner has then stated that it would have been obvious "to have the precursor comprise a metal oxide" since "it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the purpose of using it for the precursor material." Appellants respectfully submit that reliance upon such a *per se* rule to show obviousness is clearly erroneous. There is no support or suggestion in Enokido et al. or in any of the prior art of record for the Examiner's assertion that a metal oxide as claimed is obviously suitable for Appellants' purpose in claim 50.

Thus, for each of the claims 3, 8, 29-30, 32, 44-48, and 50, the Examiner has not presented a proper *prima facie* case of obviousness, and it would not be obvious to modify Enokido et al. so as to include every limitation of each of the claims. Therefore, reversal of these rejections is respectfully requested.

- Page 17 -

V. The Examiner's Rejection of Claims 6, 7, 26 – 28, 33 – 35, and 49 under 35 U.S.C. §.103(a) as Being Unpatentable Over Enokido et al. (US 2004/0255841) in View of Fleming et al. (US 6,7698,256) Should Be Reversed Because It Would Not Be Obvious to Modify Enokido et al. so as to Include Every Limitation of Each of the Claims.

Dependent claims 6 – 7, 26 – 28, and 33 – 35 depend upon claim 1. The Examiner's premise that Enokido et al. discloses the method of claim 1 is traversed hereinabove in the discussion of rejections under 35 U.S.C. § 102(e). In that discussion it has been shown that Enokido et al. fails to disclose every limitation of claim 1. Dependent claim 49 depends upon independent claim 44. The Examiner's premise that Enokido et al. discloses the method of claim 44 is traversed hereinabove in the discussion of other rejections under 35 U.S.C. § 103. In that discussion also, it has been shown that Enokido et al. fails to disclose every limitation of claim 44. Thus, for each of these claims 6, 7, 26 – 28, 33 – 35, and 49, no combination of the teachings of Enokido et al. with the teachings of Fleming et al. would include every limitation of each claim.

#### A. Claims 6, 33 – 35, and 49

Claims 6, 33 – 35, and 49 respectively recite:

- "6. The method of claim 1, wherein the particles comprise an inert material.
- 33. The method of claim 1 wherein the particles comprise polymer particles.
- 34. The method of claim 1 wherein the particles comprise polymer nanospheres.
- 35. The method of claim 34, wherein the polymer particles comprise a material selected from the list consisting of polystyrene, polyethylene, polymethylmethacrylate (PMMA), latex, and combinations thereof.
- 49. The method of claim 44, wherein the particles comprise an inert material."

- Page 18 -

Regarding claims 6, 33, 34, 35, and 49 the Examiner correctly states that Enokido et al. does not disclose particles comprising an inert material (claims 6 and 49) or a polymer (claim 33) or polymer nanospheres (claim 34) or polymer particles selected from a claimed Markush list (claim 35). Regarding claim 6 and 49, the Examiner states: "Fleming is cited to show a photonic crystal with particles comprising silicone, an inert material (col. 5, lines 53 - 56)." Regarding claim 33, the Examiner states: "Fleming is cited to show a photonic crystal with particles comprising silicone, a polymer (col. 5, lines 53 – 56)." However, Fleming et al. does not disclose the use of inert silicone particles or a silicone polymer or polymer particles. The material disclosed by Fleming et al. (col. 5, lines 53 - 56) is not silicone, but the element silicon, which is disclosed in Fleming et al. not as inert particles or as a polymer, but as a complete photonic crystal structure. Any suggestion by Fleming et al. to modify spectral properties (postulated by the Examiner based upon Fleming col. 2, lines 32 - 33) is not pertinent to these claims, whose limitations specifically employ an inert material and a polymer respectively. Silicon is not an inert material; it reacts chemically with many other substances, including oxygen and nitrogen. Those skilled in the art would also recognize that elemental silicon is also not a polymer. Thus, Fleming et al. does not suggest the use of particles comprising an inert material or a polymer as asserted by the Examiner. Therefore, Appellants respectfully submit that the Examiner has not presented a proper prima facie case for obviousness of any of the claims 6, 33 - 35, or 49. None of these claims would not have been obvious to a person of ordinary skill.

#### B. Claim 7

Claim 7 recites: "The method of claim 1, wherein the precursor material comprises a metal oxide." Regarding claim 7, the Examiner correctly states that Enokido et al. does not disclose a precursor material comprising a metal oxide. To provide the metal oxide missing from the disclosure of Enokido et al., the Examiner cites the use of tungsten by Fleming et al. (col. 6, lines 15 – 18). The material disclosed by Fleming et al. is tungsten (an elemental metal, not a metal oxide). Therefore, again, Appellants respectfully submit that the Examiner has

- Page 19 -

not presented a proper *prima facie* case for obviousness of claim 7 and that this claim would not have been obvious to a person of ordinary skill.

#### C. <u>Claims 26 – 28</u>

Claims 26 – 28 respectively recite:

- "26. The method of claim 1, wherein the desired metal is a refractory metal.
- 27. The method of claim 26, wherein the refractory metal is selected from the list consisting of tungsten, platinum, tantalum, molybdenum, and alloys thereof.
- 28. The method of claim 1, wherein the desired metal is tungsten or an alloy thereof."

Regarding claims 26 and 27, the Examiner correctly states that Enokido et al. does not disclose a precursor material comprising a refractory metal. Fleming et al. (col. 6, lines 15-18) does disclose a refractory metal (tungsten). However, no combination of Enokido et al. and Fleming et al. would make the invention of claim 26, including all the limitations of claim 1 as amended. In particular, neither Enokido et al. nor Fleming et al. nor any of the prior art of record discloses forcing the particles into a combination having a desired crystallographic configuration while urging a slurry through an orifice. Therefore, neither claim 26 nor claim 27 would have been obvious in view of any combination of Enokido et al. with Fleming et al. The same argument applies to claim 28, which recites tungsten or an alloy thereof.

Thus, as shown hereinabove, no combination of the teachings of Enokido et al. with the teachings of Fleming et al. would include every limitation of any of claims 6-7, 26-28, 33-35, and 49. For all of these reasons, Appellants respectfully request that the rejections under 35 U.S.C. § 103(a) of claims 6-7, 26-28, 33-35, and 49 be reversed.

VI. The Examiner's Rejection of Claims 9 and 10 under 35 U.S.C. § 103(a) as Being Unpatentable Over Enokido et al. (US 2004/0255841) In View of Kodas et al. (US 2003/0175411) Should Be Reversed Because It Would Not Be Obvious to Modify Enokido et al. so as to Include Every Limitation of Each of the Claims.

Claims 9 and 10 respectively recite:

- "9. The method of claim 8, wherein step g) of reducing the precursor material comprises heating the precursor material in a reducing environment.
- The method of claim 9, wherein the reducing environment comprises a gas selected from the list consisting of hydrogen, forming gas, a carbide gas, acetylene, and mixtures thereof."

Dependent claims 9 and 10 depend upon claim 1. The Examiner's premise that Enokido et al. discloses the method of claim 1 is traversed hereinabove in the discussion of rejections under 35 USC § 102(e). In that discussion, it has been shown that Enokido et al. fails to disclose every limitation of claim 1. Thus, for each of claims 9 and 10, no combination of the teachings of Enokido et al. with the teachings of Fleming et al. would include every limitation of the respective claim.

The Examiner has correctly stated that Enokido et al. does not disclose that heating of a precursor material is done in a reducing environment as claimed by Appellants. Kodas is cited to show a precursor composition that is heated under a reducing environment (paragraph 495) and that certain reaction conditions help the formation of the metal at a desired temperature (paragraph 133).

However, neither Enokido et al. nor Kodas et al. nor any of the prior art of record discloses urging their slurry through an orifice while forcing the particles into a combination having a desired crystallographic configuration. As pointed out hereinabove, the three-dimensional periodic structure of the photonic crystal of Enokido et al. is not formed by their steps S2 of slurry deposition and S3 of slurry drying, but is formed later in step S4 of binder printing (paragraphs 43 – 44 and FIG. 1). Their step S4 occurs after their slurry-drying step S3

(FIG. 1). Thus, neither claim 9 nor claim 10 would have been obvious in view of any combination of Enokido et al. with Kodas et al. Therefore, Appellants respectfully request that the rejections under 35 USC § 103(a) of claims 9 and 10 be reversed.

This section completes Appellants' arguments pertaining to the rejections made in the Final Office Action of November 3, 2006.

VII. The Examiner's Rejection of Claims 37 – 39 with No Stated Grounds Should Be Reversed Because These Claims Have Been Withdrawn from Consideration and Have Not Been Rejoined.

The Examiner clearly erred in rejecting dependent claims 37 – 39 (previously withdrawn from consideration) in the Office Action Summary of August 24, 2007 without stating any grounds for rejection of those three claims. The record does not indicate that any of the restrictions have been withdrawn or any claim(s) rejoined. Therefore, Appellants respectfully request that the rejections of claims 37 – 39 be reversed and that claims 37 – 39 *inter alia* remain withdrawn from consideration for purposes of the present appeal. Appellants reserve the right to request rejoinder of any of the withdrawn claims if any claims are allowed.

VIII. The Examiner's Rejection of Claims 1, 3 – 5, 8, 29 – 32, 36, 40, 44 – 48, and 50 under 35 U.S.C. § 103(a) as Being Unpatentable Over Enokido et al. (U.S. patent application 2004/0255841) in View of Saha et al. (US 5,268,249) Should Be Reversed Because It Would Not Be Obvious to Modify Enokido et al. so as to Include Every Limitation of Each of the Claims and Because The Combination Does Not Make the Invention of Each of the Claims.

Before discussing in turn each of the claims rejected in the Office Action of August 24, 2007, Appellants respectfully point out that Saha et al. (US 5,268,249) may be considered non-analogous art with respect to Appellants' invention. The claims under appeal pertain to a method for forming a photonic-crystal filament and a method of cladding a metal filament. Conversely, Saha

et al. (US 5,268,249) pertains to magnetic carrier particles. Saha et al. nowhere refers to a photonic-crystal filament or to any method of cladding a filament. Therefore, Appellants respectfully submit that Saha et al. (US 5,268,249) should not be considered pertinent to patentability of the claims under appeal. Nevertheless, the patentability of each claim is discussed in this section and the following sections.

#### A. Claim 1

Independent Claim 1 is directed to a method including (emphasis added):

- "b) urging the slurry through an orifice while forcing the particles and precursor material into a combination having a desired crystallographic configuration;" and
- "c) drying the combination having a desired crystallographic configuration emerging from the orifice".

Neither Enokido et al., nor the material incorporated by reference from Sachs et al., nor Saha et al. discloses these limitations of claim 1. In the method of Enokido et al., their slurry is jetted in a layer onto a substrate and a binder is jetted in a predetermined three-dimensional periodic structure pattern (Enokido et al., paragraphs 13, 17, 27, 41, 43 – 45, and 54 – 58 and FIGS. 1, 2A - 25, and 3, for example). The particles within their slurry are not forced into a combination having a desired crystallographic configuration as recited in Appellants' claim 1. In Saha et al. (col. 6 line 29 through col. 7 line 28), a slurry is forced through nozzles while atomizing the slurry and drying the slurry (e.g., col. 6 lines 47 - 62). Contrary to the Examiner's characterization of Saha et al. (col. 6 lines 53 – 58), Saha et al. does not teach that the slurry may have a desired particle size when forced through an orifice. The cited section teaches that the size of spray-dried ferrite-forming beads may be controlled by varying the percentage of solids in the feed slurry. Atomizing Appellants' slurry as in Saha et al. would prevent forcing the particles and precursor material into a combination having a desired crystallographic configuration. Thus, Saha et al. teaches away from this limitation of Appellants' claim 1, and the combination suggested by the Examiner would not make Appellants' method as claimed.

751-96-175

#### В. Claim 3

Claim 3 recites: "The method of claim 1, further comprising the step of:

e) compressing the slurry."

Regarding claim 3 specifically, the Examiner has stated that "Enokido does disclose that the slurry is stirred and then fed through the print heads (paragraph 96). Therefore, for the slurry to fit through the print heads, it would have to be compressed or reduced, as claimed by Applicant." There is no basis for this conclusion by the Examiner anywhere in Enokido et al., nor in the material incorporated by reference from Sachs et al., nor in Saha et al. There is nothing anywhere in the record to support this conclusion by the Examiner.

#### C. Claim 4

Claim 4 recites: "The method of claim 1, further comprising the step of:

f) heating the dried combination to remove the particles."

Regarding claim 4 specifically, the Examiner has stated that "the combined reference (sic) of Enokido and Saha disclose the method of claim 1, further comprising the step of f) heating the dried combination to remove the particles (paragraphs 41 - 49)." However, in the cited paragraphs of Enokido et al. solvents are removed by drying (optionally with heat), binder is dried (optionally with heat), and binder is cured by heat treatment, but no particles are removed by heating. In paragraph 49 of Enokido et al., dielectric powder existing in the non-bound region is removed by dipping in water. In Saha et al., heating is used to convert carbonates, sulfates, nitrates, or phosphates to oxides (col. 4 lines 61 – 65), for heating a mixture above the melting point of a polymer in preparation for a coercivity measurement (col. 8 liners 50 - 54), or for bonding a resin to carrier particles ( $\infty$ l. 9 lines 57 – 61), but not to remove particles. Thus, contrary to the Examiner's assertion, neither Enokido et al., nor Saha et al., nor their combination teaches removal of particles by heating as recited in Appellants' claim 4.

7519-736-143

#### D. Claim 5

Claim 5 recites: "The method of claim 4, wherein the heating step f) and the sintering step d) are performed simultaneously." The Examiner has stated that "The combined reference (sic) of Enokido and Saha disclose the method of claim 4 wherein the heating step f) and the sintering step d) are performed simultaneously (paragraph 52)." However, the cited paragraph 52 of Enokido et al. says nothing about simultaneous sintering and heating to remove particles. Saha et al. never mentions removal of particles by heating and never mentions sintering *per se*. Thus, contrary to the Examiner's assertion, neither Enokido et al., nor Saha et al., nor their combination teaches removal of particles by heating and simultaneously performing sintering as recited in Appellants' claim 5.

## E. Claim 8

Claim 8 recites: "The method of claim 1, further comprising the step of: g) reducing the precursor material to metallic form."

Regarding claim 8, the Examiner correctly stated that Enokido does not expressly disclose the further step of "g) reducing the precursor material to metallic form" as claimed by Appellants. The Examiner stated that "Enokido does disclose that the slurry is of metallic form (paragraph 39); hence it would have been obvious to one having ordinary skill in the art at the time the invention was made that the precursor material would be of metallic form, since the slurry is as well." However, contrary to the Examiner's assertion, Appellants have *not* claimed that the precursor material in the slurry would be of metallic form. Appellants' dependent claim 8 claims the *further* step of *reducing the precursor material* to metallic form. Such a reducing step is not disclosed or fairly suggested by Enokido et al.

#### F. Claims 29 and 30

The same reasoning applies to the rejections of claims 29 and 30, each of which, like claim 8, use a precursor material in dependent claims that depend upon claim 1, previously distinguished from Enokido et al. Claim 29 recites:

- Page 25 -

\*29. The method of claim 1, wherein the precursor material comprises an oxide of tungsten." Claim 30 recites: "30. The method of claim 1, wherein the precursor material comprises peroxopolytungstic acid." With regard to both daims 29 and 30, the Examiner has stated that it would have been obvious to have the precursor material comprise the claimed substance, "since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the purpose of using it for the precursor material." However, there is no support or suggestion in Enokido et al. or in any of the prior art of record for the Examiner's assertion that tungsten oxide or peroxopolytungstic acid as claimed are suitable for Appellants' purpose in these daims.

#### G. Claim 31

Claim 31 recites: "The method of claim 1 wherein the particles comprise substantially spherical particles." The Examiner has stated that "The combined reference (sic) of Enokido and Saha discloses the method of claim 1 wherein the particles comprise substantially spherical particles (Enokido; FIG. 8, item 61)." However, contrary to the Examiner's assertion, items 61 in FIG. 8 of Enokido et al. are not at all the same as the particles in the slurry of Appellants' daim 1; they are drops of binder 61 (Enokido, paragraphs 103 – 108). Thus, Enokido et al. does not teach the use of Appellants' spherical particles in a slurry as recited in Appellants' claim 31.

#### H. Claim 32

Claim 32 recites: "The method of claim 1 wherein the particles comprise non-spherical particles."

Regarding claim 32, the Examiner has correctly stated that "the combined reference (sic) of Enokido and Saha ... does not expressly disclose that the particles comprise non-spherical particles" as claimed by Appellants, but the Examiner has then stated that it would have been obvious "to change the shape of the particle to be non-spherical, since such a modification would have involved a mere change in the shape of the particle" and a "change of shape is

- Page 26 -

generally recognized as being with (sic) the level of ordinary skill in the art." Appellants respectfully submit that reliance upon such a *per se* rule to show obviousness is clearly erroneous.

#### I. Claim 36

Claim 36 recites: "The method of claim 1, wherein the photonic-crystal filament has a desired photonic band-gap, and the substantially uniform size of the particles is adapted to provide the desired photonic band-gap."

Regarding claim 36 specifically, the Examiner has stated that "The combined reference (sic) of Enokido and Saha disclose the method of claim 1 wherein the photonic-crystal filament has a desired photonic band-gap, and the substantially uniform size of the particles is adapted to provide the desired photonic band-gap (Enokido; paragraph 71)." However, contrary to the Examiner's assertion, the cited paragraph of Enokido et al. does not mention substantially uniform particle size or any particle size, but only the spacing of neighboring pillars and the periodic cycle of aligning the pillars. When Enokido et al. does mention particle size (Enokido et al., paragraphs 74 and 78), it is only to recite preferred size ranges, not mentioning any uniformity requirement or any relationship adaptive to a desired photonic band-gap. Thus, Enokido et al. does not teach the subject matter of Appellants' claim 36.

## J. <u>Claim 40</u>

Dependent claim 40 recites: "The method of claim 1, wherein the photonic-crystal filament has a longitudinal axis, and a selected crystallographic axis of the desired crystallographic configuration is aligned parallel to the longitudinal axis of the photonic-crystal filament." The Examiner has stated that "The combined reference (sic) of Enokido and Saha disclose" the limitations of claim 40 (Enokido; FIG. 8, item 61). However, item 61 is merely a binder (paragraphs 103 – 108 of Enokido et al.); it is neither a photonic-crystal filament nor a desired crystallographic configuration. Thus, neither that figure nor the associated specification of Enokido et al. teaches the subject matter of Appellants' claim 40.

- Page 27 -

#### K. Claim 44

Independent claim 44 as amended recites:

- "44. A method of cladding a metal filament, the method comprising the steps of:
  - a) providing a metal filament;
- b) mixing a slurry comprising particles of substantially uniform size and a precursor material for a desired metal;
- c) urging the metal filament and the slurry through an orifice while forcing the particles and precursor material into a combination having a desired crystal configuration surrounding the metal filament;
- d) drying the combination having the desired crystallographic configuration emerging from the orifice;
  - e) sintering the precursor material; and
- f) compressing the precursor material within a sheath, while drawing the filament and sheath through a series of two or more successively smaller dies, whereby the filament is clad with a photonic crystal."

The Examiner has asserted that specific identified portions of Enokido et al. disclose each of the paragraphs a) – e) of Appellants' claim 44, but not paragraph f). We consider each of these assertions in turn. The Examiner stated that Enokido et al. discloses "a) providing a metal filament" (paragraph 39). However, contrary to the Examiner's assertion, paragraph 39 of Enokido et al. does not disclose a filament of any kind. Nor does the material of Sachs et al., incorporated by reference in paragraph 39 of Enokido et al. Nor does Saha et al.

The Examiner stated that Enokido et al. discloses Appellants' paragraph "b) mixing a slurry comprising particles of substantially uniform size and a precursor material for a desired metal" (paragraphs 40 – 49 and FIG. 7, items 41a, 42a, and 43a). In FIG. 7, 41a is a slurry tank, 42a is unspecified, and 43a is a stirrer (paragraphs 96 – 98). However, contrary to the Examiner's assertion, paragraphs 40 – 49 of Enokido et al. do not disclose a slurry including a precursor material for a desired metal. The dielectric powder dispersed in the

slurry of Enokido et al. may or may not comprise particles of substantially uniform size; Enokido et al. does not disclose the uniformity of their size distribution, except to say that "particle size of the dielectric powders falls between 0.5 and 2.0 .mu.m or so" (paragraph 74) and "their particle size preferably falls between 0.1 and 5.0 .mu.m, more preferably between 0.5 and 2.0 .mu.m" (paragraph 78). These particle-size ranges are so wide that they would not indicate substantial uniformity of particle size to a person of ordinary skill in the art. Thus, the portion of Enokido et al. cited by the Examiner as disclosure of Appellants claim 44 paragraph b) does not disclose the claimed subject matter.

The Examiner stated that Enokido et al. discloses Appellants' paragraph "c) urging the metal filament and the slurry through an orifice while forcing the particles and precursor material into a combination having a desired crystal configuration surrounding the metal filament" (FIG. 7, item 46a and paragraphs 41 – 49). However, contrary to the Examiner's assertion, Enokido et al. discloses no such thing. Neither Enokido et al. nor the material incorporated by reference discloses urging a metal filament and the slurry through an orifice while forcing the particles and precursor material into a combination having a desired crystal configuration surrounding a metal filament as claimed by Appellants. Paragraph 79 of Enokido et al. recites: "The heads 45a to 45k are equipped with nozzles 46a to 46k, respectively, via which fine drops 33 of each slurry or binder are jetted out onto the substrate 31." There is no metal filament disclosed anywhere in Enokido et al., nor in the material incorporated by reference into Enokido et al., nor in Saha et al.

The Examiner stated that Enokido et al. discloses Appellants' paragraph "d) drying the combination having the desired crystallographic configuration" (paragraph 47) "emerging from the orifice" (paragraphs 41 – 50). However, contrary to the Examiner's assertion, paragraph 47 of Enokido et al. discloses a step S7 of curing a binder. The slurry-drying step S3 of Enokido et al. (described in paragraph 41) removes solvent from a layer of dielectric that has not yet been formed in a three-dimensional periodic structure of the photonic crystal. Their three-dimensional periodic structure is not formed until step S4 of

- Page 29 -

binder printing (paragraphs 43 – 44 and FIG. 1) which occurs only after their slurry-drying step **S3**. Thus, again, the claimed subject matter of Appellants' claim 44 paragraph d) is not disclosed by Enokido et al.

The Examiner stated that Enokido et al. discloses Appellants' paragraph "e) sintering the precursor material" (paragraph 52). The cited paragraph discloses sintering of the shaped body disclosed by Enokido et al. As pointed out hereinabove, Enokido et al. does not disclose a slurry including a precursor material for a desired metal. Therefore, the shaped body sintered in paragraph 52 of Enokido et al. does not correspond to Appellants' "precursor material." Thus, Enokido et al. does not disclose Appellants' paragraph e).

The Examiner has correctly noted that Enokido et al. does not disclose compressing the precursor material within a sheath, while drawing the filament and sheath through a series of two or more successively smaller dies, whereby the filament is clad with a photonic crystal [as recited in Appellants' claim 44 paragraph f)]. However, the Examiner then cites the disclosure of Enokido et al. that a slurry is stirred in a "sheath" (i.e., Enokido's tank in the Examiner's interpretation) and "then fed though print heads such that the filament and photonic crystal are mixed (paragraph 96)". However, contrary to the Examiner's assertion, Enokido's tank is not a sheath surrounding a filament, and no filament and photonic crystal are mixed in Enokido's tank. Paragraph 96 of Enokido et al. clearly describes what is happening in their tanks 41a - 41k: Slurries (prepared by dispersing a dielectric powder in a solvent and a binder) are stirred so that the dielectric powder does not deposit in the tanks. The sluries and the binder pooled in the tanks are fed to corresponding jet printheads 45a - 45k. This bears no resemblance to the subject matter of paragraph f) of Appellants' claim 44.

Then Saha et al. is cited by the Examiner "to show that slurry that is forced through an orifice" (sic) (col. 6 line 29 through col. 7 line 28) and that "slurry may have a desired particle size when forced through the orifice" (col. 6 lines 53 – 58). Finally, the Examiner concluded that it would have been obvious to modify Enokido's invention "to include the slurry forced through the orifice as

- Page 30 -

suggested by Saha for having a desired particle configuration and size." As discussed hereinabove in connection with Appellants' claim 1, Saha et al. teaches forcing a slurry through nozzles to *atomize* the slurry (col. 6 lines 47 – 62). The *particles* within their slurry are not forced into a combination having a desired crystallographic configuration as recited in Appellants' claim 44 paragraph c). Contrary to the Examiner's characterization of Saha et al. (col. 6 lines 53 – 58), Saha et al. does not teach that the slurry may have a desired particle size when forced through an orifice. The cited section teaches that the size of *spray-dried ferrite-forming beads* may be controlled by varying the percentage of solids in the feed slurry. *Atomizing* Appellants' slurry as in Saha et al. would *prevent* forcing the particles and precursor material into a combination having a desired crystallographic configuration.

Paragraph f) of the claim recites "while drawing the filament and sheath through a series of two or more successively smaller dies, whereby the filament is clad with a photonic crystal." Again, in Saha et al. (col. 6 line 29 through col. 7 line 28), a *slurry* is forced through nozzles while *atomizing* the slurry and drying the *slurry* (e.g., col. 6 lines 47 – 62). Saha et al. does not relate to a filament, to a sheath, or to a series of two or more successively smaller dies. The atomization taught by Saha et al. would prevent formation of the clad filament as claimed by Appellants.

Thus, Saha et al. teaches away from these limitations of Appellants' claim 44, both paragraphs c) and f), and the combination suggested by the Examiner would not make Appellants' method as claimed.

Appellants respectfully submit that it appears that for each feature of Appellants' claim 44, disparate elements disclosed by Enokido et al. and by Saha et al. have been selected and interpreted by the Examiner with the benefit of hindsight to attempt to fit those elements to the limitations of the claim. The Examiner has not presented a proper *prima facie* case of obviousness of claim 44.

#### L. Claim 45

Claim 45 recites: "The clad filament formed by the cladding method of claim 44." Regarding claim 45, the Examiner has stated that "to be entitled to weight in method claims, the recited structure limitations must affect the method in a manipulative sense, and not to amount to the mere claiming of a particular structure, such as the clad filament" (Office Action of August 24, 2007, page 7). However, claim 45 is a product-by-process claim, dependent upon method claim 44. All the manipulative steps necessary to form the structure are recited in the independent parent claim 44.

#### M. Claim 46

Claim 46 recites: "The method of claim 44, further comprising the step of: g) compressing the slurry."

Regarding claim 46, the Examiner has correctly stated that "the combined reference (sic) of Enokido and Saha" does not expressly disclose the further step "g) compressing the slurry" as claimed by Appellants. The Examiner then asserted that Enokido discloses that the slurry is stirred and then fed through the print heads (paragraph 96) and "therefore, for the slurry to fit through the print heads, it would have to be compressed or reduced as claimed." However, Appellants respectfully point out that Enokido et al. teach in paragraph 97 that the jet printheads may jet out the liquid drops "based on their thermal expansion caused by a heater equipped thereto." Such thermal expansion is clearly not the compression that the Examiner concluded would be required. As pointed out hereinabove in connection with claim 3, there is no basis for this conclusion by the Examiner anywhere in Enokido et al., nor in the material incorporated by reference from Sachs et al., nor in Saha et al. There is nothing anywhere in the record to support this conclusion by the Examiner.

#### N. Claim 47

Claim 47 recites: "The method of claim 44, further comprising the step of:

h) heating the dried combination to remove the particles."

Regarding claim 47, the Examiner has stated that "the combined reference (sic) of Enokido and Saha disclose the method of claim 45 further comprising the

- Page 32 -

step of: h) heating the dried combination to remove the particles" (Enokido, paragraphs 41 – 49). However, contrary to the Examiner's assertion, Enokido et al. teaches removing unbound dielectric powder particles by dipping in water (referred to as re-dispersion) (paragraph 49), not by heating as recited in Appellants' claim. Thus, again, Enokido et al. does not disclose or fairly suggest the subject matter of Appellants' invention as claimed.

#### O. Claim 48

Claim 48 recites: "The method of claim 47, wherein the heating step h) and the sintering step e) are performed simultaneously." Regarding claim 48, the Examiner has stated that the combined reference (sic) of Enokido and Saha disclose the method of claim 48 (Enokido; paragraph 52). However, contrary to the Examiner's assertion, paragraph 52 of Enokido et al. recites in pertinent part (emphasis added): "After the drying step S9, the shaped body may be fired into a sintered body in the next firing step 10." Thus, Enokido et al. clearly teaches sequential steps, not simultaneous performance of two steps. Thus, again Enokido et al. fails to teach or fairly suggest the claimed subject matter.

#### P. Claim 50

751-967-9134

Claim 50 recites: "The method of claim 44, wherein the precursor material comprises a metal oxide." Regarding claim 50, the Examiner has correctly stated that "the combined reference (sic) of Enokido and Saha" does not disclose that a precursor material comprises a metal oxide as claimed by Appellants, but the Examiner has then stated that it would have been obvious "to have the precursor comprise a metal oxide" since "it has been held to be within the general skill of a worker in the art to select a known material on the basis of its sultability for the purpose of using it for the precursor material." Appellants respectfully submit that reliance upon such a *per se* rule to show obviousness is clearly erroneous. There is no support or suggestion in Enokido et al., or in Saha et al., or in any of the prior art of record for the Examiner's assertion that a metal oxide as claimed is obviously suitable for Appellants' purpose in claim 50.

- Page 33 -

Thus, for each of the claims 1, 3-5, 8, 29-32, 36, 40, 44-48, and 50, the Examiner has not presented a proper *prima facie* case of obviousness, and it would not be obvious to modify Enokido et al. in view of Saha et al. so as to include every limitation of each of the claims. Any combination of these references does not make the invention of each of the claims. Appellants respectfully submit that the rejections under 35 USC § 103(a) of claims 1, 3-5, 8, 29-32, 36, 40, 44-48, and 50 should therefore be reversed.

IX. The Examiner's Rejection of Claims 6, 7, 26 – 28, 33 – 35, and 49 under 35 U.S.C. § 103(a) as Being Unpatentable over Enokido et al. (US 2004/0255841) in View of Saha et al. (US 5,268,249) and Fleming et al. (US 6,768,256) Should be Reversed Because it Would Not Be Obvious to Modify Enokido et al. so as to Include Every Limitation of Each of the Claims and Because The Combination Does Not Make the Invention of Each of the Claims.

In each of these rejections for obviousness, the Examiner has stated that "the combined reference (sic) of Enokido and Saha disclose the method of claim 1" and then has discussed the supposed obviousness of each dependent claim. The premise that either Enokido et al. or Saha et al. or any combination of those references discloses the method of claim 1 is traversed hereinabove in the discussion (Section 7 (VIII)) of the rejections under 35 U.S.C. § 103(a) of claims 1, 3-5, 8, 29-32, 36, 40, 44-48, and 50. In that discussion it has been shown that Enokido et al. fails to disclose every limitation of claim 1 and claim 44. It has also been shown that the modifications of Enokido et al. in view of Saha et al. postulated by the Examiner would not be obvious and would not make Appellants' invention as claimed. Dependent claims 6, 7, 26-28, 33-35, and 49 inherit all the limitations of their respective parent independent claims 1 or 44. Therefore, for the same reasons stated above in Section 7 (VIII), Appellants respectfully request that these rejections of claims 6, 7, 26-28, 33-35, and 49 under 35 USC § 103(a) be reversed.

## A. <u>Claims 6, 33 – 35, and 49</u>

Claims 6, 33 - 35, and 49 respectively recite:

- "6. The method of claim 1, wherein the particles comprise an inert material.
- 33. The method of claim 1 wherein the particles comprise polymer particles.
- 34. The method of claim 1 wherein the particles comprise polymer nanospheres.
- 35. The method of claim 34, wherein the polymer particles comprise a material selected from the list consisting of polystyrene, polyethylene, polymethylmethacrylate (PMMA), latex, and combinations thereof.
- 49. The method of claim 44, wherein the particles comprise an inert material."

Regarding claims 6, 33, 34, 35, and 49 the Examiner correctly states that "the combined reference (sic) of Enokido and Saha ... do not disclose" particles comprising an inert material (claims 6 and 49) or a polymer (claim 33) or polymer nanospheres (claim 34) or polymer particles selected from a claimed Markush list (claim 35). Regarding claim 6 and 49, the Examiner states: "Fleming is cited to show a photonic crystal with particles comprising silicone, an inert material (col. 5, lines 53 – 56)." Regarding claim 33, the Examiner states: "Fleming is cited to show a photonic crystal with particles comprising silicone, a polymer (col. 5, lines 53 - 56)." However, Fleming et al. does not in fact disclose the use of inert silicone particles or a silicone polymer or polymer particles. The material disclosed by Fleming et al. (col. 5, lines 53 – 56) is not silicone, but the element silicon, which is disclosed in Fleming et al. not as inert particles or as a polymer, but as a complete photonic crystal structure. Any suggestion by Fleming et al. to modify spectral properties (postulated by the Examiner based upon Fleming col. 2, lines 32 – 33) is not pertinent to these claims, whose limitations specifically employ an inert material and a polymer respectively. Silicon is not an inert material; it reacts chemically with many other substances, including oxygen and nitrogen. Those skilled in the art would also

recognize that elemental silicon is also not a polymer. Thus, Fleming et al. does not suggest the use of particles comprising an inert material or a polymer as asserted by the Examiner. Therefore, Appellants respectfully submit that the Examiner has not presented a proper *prima facie* case for obviousness of any of the claims 6, 33 – 35, or 49. None of these claims would have been obvious to a person of ordinary skill.

### B. Claim 7

Claim 7 recites: "The method of claim 1, wherein the precursor material comprises a metal oxide." Regarding claim 7, the Examiner correctly states that "the combined reference of Enokido and Saha ... do not ... disclose" a precursor material comprising a metal oxide. To provide the metal oxide missing from the disclosure of both Enokido et al. and Saha et al., the Examiner cites the use of tungsten by Fleming et al. (col. 6, lines 15 – 18) to "provide large dielectric contrast and moderate imaginary dielectric contrast preferred for enhanced emission." The material disclosed by Fleming et al. is tungsten (an elemental metal, not a metal oxide). Therefore, again, Appellants respectfully submit that the Examiner has not presented a proper prima facie case for obviousness of claim 7 and that this claim would not have been obvious to a person of ordinary skill.

### C. Claims 26 – 28

Claims 26 - 28 respectively recite:

- "26. The method of claim 1, wherein the desired metal is a refractory metal.
- 27. The method of claim 26, wherein the refractory metal is selected from the list consisting of tungsten, platinum, tantalum, molybdenum, and alloys thereof.
- 28. The method of claim 1, wherein the desired metal is tungsten or an alloy thereof."

- Page 36 -

Regarding claims 26 and 27, the Examiner correctly states that "the combined reference (sic) of Enokido and Saha" does not disclose a precursor material comprising a refractory metal. Fleming et al. (col. 6, lines 15-18) does disclose a refractory metal (tungsten). However, no combination of Enokido et al. and Fleming et al. would make the invention of claim 26, including all the limitations of claim 1 as amended. In particular, neither Enokido et al., nor Saha et al., nor Fleming et al., nor any of the prior art of record discloses forcing the particles into a combination having a desired crystallographic configuration while urging a slurry through an orifice. Therefore, neither claim 26 nor claim 27 would have been obvious in view of any combination of Enokido et al. with Fleming et al. The same argument applies to claim 28, which recites tungsten or an alloy thereof.

Claims 33 – 35 and 49 are discussed above in this section.

Thus, as shown hereinabove, no combination of the teachings of Enokido et al. with the teachings of Saha et al. and/or the teachings of Fleming et al. would include every limitation of any of claims 6, 7, 26 - 28, 33 - 35, and 49. For all of these reasons, Appellants respectfully request that the rejections under 35 U.S.C. § 103(a) of claims 6, 7, 26 - 28, 33 - 35, and 49 be reversed.

X. The Examiner's Rejection of Claims 9 and 10 under 35 U.S.C. § 103(a) as Being Unpatentable Over Enokido et al. (US 2004/0255841) in View of Saha et al. (US 5,268,249) and in View of Kodas et al. (US 2003/0175411) Should Be Reversed Because It Would Not Be Obvious to Modify Enokido et al. so as to Include Every Limitation of Each of the Claims and Because The Combination Does Not Make the Invention of Each of the Claims.

Claims 9 and 10 respectively recite:

- "9. The method of claim 8, wherein step g) of reducing the precursor material comprises heating the precursor material in a reducing environment.
- 10. The method of claim 9, wherein the reducing environment comprises a gas selected from the list consisting of hydrogen, forming gas, a carbide gas, acetylene, and mixtures thereof."

- Page 37 -

Dependent claims 9 and 10 depend upon claim 1. The Examiner's premise that Enokido et al. discloses the method of claim 1 is traversed hereinabove in Section 7(VIII). In that discussion, it has been shown that Enokido et al. and Saha et al. fail to disclose every limitation of claim 1. Thus, for each of claims 9 and 10, no combination of the teachings of Enokido et al. with the teachings of Saha et al. and/or with the teachings of Kodas et al. would include every limitation of the claim.

The Examiner has correctly stated that Enokido et al. does not disclose that heating of a precursor material is done in a reducing environment as claimed by Appellants. Kodas is cited to show a precursor composition that is heated under a reducing environment (paragraph 495) and that certain reaction conditions help the formation of the metal at a desired temperature (paragraph 133).

However, neither Enokido et al., nor Saha et al., nor Kodas et al., nor any of the prior art of record discloses urging their slurry through an orifice while forcing the particles into a combination having a desired crystallographic configuration. As pointed out hereinabove, the three-dimensional periodic structure of the photonic crystal of Enokido et al. is not formed by their steps S2 of slurry deposition and \$3 of slurry drying, but is formed later in step \$4 of binder printing (paragraphs 43 – 44 and FIG. 1). Their step \$4 occurs after their slurry-drying step **S3** (FIG. 1). Thus, neither claim 9 nor claim 10 would have been obvious in view of any combination of Enokido et al. with Saha et al. and/or Kodas et al. and no combination of these references would make the Appellants' invention as claimed. Therefore, Appellants respectfully request that these rejections under 35 USC § 103(a) of claims 9 and 10 be reversed.

7519-134-149

#### SUMMARY AND CONCLUSION

In view of the foregoing, the Appellants submit that claims 1, 4 - 5, 31. 36, and 40 are not properly rejected under 35 U.S.C. § 102(e) as being anticipated by Enokido et al. (US 2004/0255841) and are therefore patentable; that claims 3, 8, 29 - 30, 32, 44 - 48, and 50 are not properly rejected under 35 U.S.C. § 103(a) as being unpatentable over Enokido et al. and are therefore patentable; that claims 6 - 7, 26 - 28, 33 - 35, and 49 under 35 U.S.C. § 103(a) are not properly rejected as being unpatentable over Enokido et al. in view of Fleming et al. (US 6,768,256) and are therefore patentable; that claims 9 and 10 are not properly rejected under 35 U.S.C. § 103(a) as being unpatentable over Enokido et al. in view of Kodas et al. (US 2003/0175411) and are therefore patentable; that claims 1, 3 – 5, 8, 29 – 32, 36, 40, 44 – 48, and 50 are not properly rejected under 35 U.S.C. § 103(a) as being unpatentable over Enokido et al. (US 2004/0255841) in view of Saha et al. (US 5,268,249) and are therefore patentable; that claims 6 - 7, 26 - 28, 33 - 35, and 49 are not properly rejected under 35 U.S.C. § 103(a) as being unpatentable over Enokido et al. in view of Saha et al. and Fleming et al. (US 6,768,256) and are therefore patentable; and that claims 9 and 10 are not properly rejected under 35 U.S.C. § 103(a) as being unpatentable over Enokido et al. in view of Saha et al. and Kodas et al. (US 2003/0175411) and are therefore patentable.

Accordingly, Appellants respectfully request that the Board reverse all claim rejections and indicate that a Notice of Allowance respecting all pending claims should be issued.

Dated this 13th day of November, 2007.

Respectfully submitted,

Theodore R. Touw Reg. No. 36,702

Attorney/Agent for Appellants Telephone: (541) 967-9133 Facsimile: (541) 967-9134

- Page 39 -

Please address written communications to:

HEWLETT-PACKARD COMPANY Intellectual Property Administration P.O. Box 272400 Fort Collins, Colorado 80527-2400

### **CLAIMS APPENDIX**

- 1. (Previously presented) A method for forming a photonic-crystal filament, the method comprising the steps of:
- a) mixing a slurry comprising particles of substantially uniform size and a precursor material for a desired metal;
- b) urging the slurry through an orifice while forcing the particles and precursor material into a combination having a desired crystallographic configuration;
- c) drying the combination having a desired crystallographic configuration emerging from the orifice; and
- d) sintering the precursor material, whereby a photonic-crystal filament is formed.
- 2. (Withdrawn) A photonic-crystal filament made by the method of claim 1.
  - 3. (Original) The method of claim 1, further comprising the step of:
  - e) compressing the slurry.
  - 4. (Original) The method of claim 1, further comprising the step of:
  - f) heating the dried combination to remove the particles.
- 5. (Original) The method of claim 4, wherein the heating step f) and the sintering step d) are performed simultaneously.
- 6. (Original) The method of claim 1, wherein the particles comprise an inert material.
- 7. (Original) The method of claim 1, wherein the precursor material comprises a metal oxide.
  - 8. (Original) The method of claim 1, further comprising the step of:
  - g) reducing the precursor material to metallic form.

- Page 41 -

- 9. (Original) The method of claim 8, wherein step g) of reducing the precursor material comprises heating the precursor material in a reducing environment.
- 10. (Original) The method of claim 9, wherein the reducing environment comprises a gas selected from the list consisting of hydrogen, forming gas, a carbide gas, acetylene, and mixtures thereof.
- 11. (Withdrawn) The method of claim 1, further comprising the step of: h) providing a core filament and feeding the core filament through the orifice while urging the slurry through the orifice to force the particles and precursor material into a combination surrounding the core filament.
- 12. (Withdrawn) The method of claim 11, further comprising the step of:i) passing an electric current through the core filament, whereby the core filament is heated.
- 13. (Withdrawn) The method of claim 12, wherein the electric current heats the precursor material to an effective temperature for sintering the precursor material.
  - 14. (Withdrawn) The method of claim 11, further comprising the step of: j) removing the core filament after the precursor material is sintered.
  - 15. (Withdrawn) The method of claim 1, further comprising the step of: k) compressing the precursor material within a sheath.
- (Withdrawn) The method of claim 15, wherein the sheath comprises a metal.

- 17. (Withdrawn) The method of claim 16, wherein the metal of the sheath comprises copper.
- 18. (Withdrawn) The method of claim 15, wherein step k) of compressing the precursor material is performed by drawing the sheath through at least one die.
- 19. (Withdrawn) The method of claim 18, wherein step k) of compressing the precursor material is performed by drawing the sheath through a series of two or more successively smaller dies.
- 20. (Withdrawn) The method of claim 15, wherein the sheath comprises a gas-permeable material.
  - 21. (Withdrawn) The method of claim 15, further comprising the step of: I) removing the sheath after the precursor material is sintered.
- 22. (Withdrawn) The method of claim 15, further comprising the step of: m) providing a core filament and feeding the core filament through the orifice while urging the slurry through the orifice to force the particles and precursor material into a combination surrounding the core filament and while compressing the precursor material within the sheath.
- 23. (Wilhdrawn) The method of claim 22, further comprising the step of: n) removing the sheath after the precursor material is sintered.
- 24. (Withdrawn) The method of claim 22, further comprising the step of: o) removing both the sheath and the core filament after the precursor material is sintered.

- 25. (Withdrawn) A photonic-crystal filament made by the method of claim 15.
- 26. (Original) The method of claim 1, wherein the desired metal is a refractory metal.
- 27. (Previously presented) The method of claim 26, wherein the refractory metal is selected from the list consisting of tungsten, platinum, tantalum, molybdenum, and alloys thereof.
- 28. (Original) The method of claim 1, wherein the desired metal is tungsten or an alloy thereof.
- 29. (Original) The method of claim 1, wherein the precursor material comprises an oxide of tungsten.
- 30. (Original) The method of claim 1, wherein the precursor material comprises peroxopolytungstic acid.
- 31. (Original) The method of claim 1 wherein the particles comprise substantially spherical particles.
- 32. (Original) The method of claim 1 wherein the particles comprise non-spherical particles.
- 33. (Original) The method of daim 1 wherein the particles comprise polymer particles.
- 34. (Original) The method of claim 1 wherein the particles comprise polymer nanospheres.

- 35. (Original) The method of claim 34, wherein the polymer particles comprise a material selected from the list consisting of polystyrene, polyethylene, polymethylmethacrylate (PMMA), latex, and combinations thereof.
- 36. (Original) The method of claim 1, wherein the photonic-crystal filament has a desired photonic band-gap, and the substantially uniform size of the particles is adapted to provide the desired photonic band-gap.
- 37. (Withdrawn) The method of claim 36, wherein the desired photonic band-gap has a lower wavelength edge and the substantially uniform size of the particles is chosen to be about one-quarter the value of the lower wavelength edge of the desired photonic band-gap.
- 38. (Withdrawn) The method of claim 36, wherein the desired photonic band-gap corresponds to a wavelength between about 400 nanometers and about 7000 nanometers.
- 39. (Withdrawn) The method of claim 36, wherein the desired photonic band-gap corresponds to a wavelength between about 1200 nanometers and about 1800 nanometers.
- 40. (Original) The method of claim 1, wherein the photonic-crystal filament has a longitudinal axis and a selected crystallographic axis of the desired crystallographic configuration is aligned parallel to the longitudinal axis of the photonic-crystal filament.
  - 41. (Withdrawn) A lamp filament made by the method of claim 1.
- 42. (Withdrawn) An incandescent lamp comprising a photonic-crystal filament made by the method of claim 1.

- Page 45 -

- 43. (Withdrawn) A light source comprising the incandescent lamp of claim 43.
- 44. (Previously presented) A method of cladding a metal filament, the method comprising the steps of:
  - a) providing a metal filament;
- b) mixing a slurry comprising particles of substantially uniform size and a precursor material for a desired metal;
- c) urging the metal filament and the slurry through an orifice while forcing the particles and precursor material into a combination having a desired crystal configuration surrounding the metal filament;
- d) drying the combination having the desired crystallographic configuration emerging from the orifice;
  - e) sintering the precursor material; and
- f) compressing the precursor material within a sheath, while drawing the filament and sheath through a series of two or more successively smaller dies, whereby the filament is clad with a photonic crystal.
- 45. (Previously presented) The clad filament formed by the cladding method of claim 44.
- 46. (Previously presented) The method of claim 44, further comprising the step of:
  - g) compressing the slurry.
- 47. (Previously presented) The method of claim 44, further comprising the step of:
  - h) heating the dried combination to remove the particles.
- 48. (Previously presented) The method of claim 47, wherein the heating step h) and the sintering step e) are performed simultaneously.

- Page 46 -

- 49. (Previously presented) The method of claim 44, wherein the particles comprise an inert material.
- 50. (Previously presented) The method of claim 44, wherein the precursor material comprises a metal oxide.
- 51. (Withdrawn) A photonic crystal for covering a filament core, the photonic crystal comprising:
- a first refractory metal substantially filling interstitial spaces between a set of substantially spherical voids disposed in a predetermined crystallographic lattice.

the set of spherical voids being disposed surrounding the filament core.

- 52. (Withdrawn) The photonic crystal of claim 51, wherein the filament core comprises a second refractory metal.
- 53. (Withdrawn) The photonic crystal of claim 52, wherein the first and second refractory metals comprise different metals.
- 54. (Withdrawn) The photonic crystal of claim 52, wherein the first and second refractory metals comprise the same metal.
- 55. (Withdrawn) The photonic crystal of claim 52, wherein the first and second refractory metals both comprise tungsten or an alloy thereof.
- 56. (Withdrawn) The photonic crystal of claim 51, further comprising a filling material disposed within the spherical voids, the filling material differing in refractive index from the first refractory metal.
- 57. (Withdrawn) The photonic crystal of claim 56, wherein the filling material substantially fills the spherical voids.

- - Page 47 -

- 58. (Withdrawn) The photonic crystal of claim 51, wherein the filament core has a longitudinal axis and a selected crystallographic axis of the predetermined crystallographic lattice is aligned parallel to the longitudinal axis of the filament core.
- 59. (Withdrawn) The photonic crystal of claim 51, wherein the first refractory metal comprises tungsten or an alloy thereof.
- 60. (Withdrawn) A method of using a photonic crystal to reduce emission of selected wavelengths of radiation from a filament, the method comprising the steps of:
- a) providing a core filament and an electrical input connected to the core filament; and
- b) cladding the core filament with a photonic crystal material which is operable to reduce emission of selected wavelengths of radiation during the resistance heating of the filament when electrical energy is conducted to the input and to the core filament.
- 61. (Withdrawn) The method of claim 60, wherein the core filament has a longitudinal axis and the photonic crystal material has crystallographic axes, the method further comprising the step of aligning a selected one of the crystallographic axes of the photonic crystal material parallel to the longitudinal axis of the core filament.
- 62. (Withdrawn) A method for filtering light from a light source having a longitudinal axis, comprising the steps of:
- a) providing a photonic crystal having a predetermined crystallographic axis and a photonic band-gap adapted to block selected wavelengths of light;
   and
- b) surrounding the light source with the photonic crystal while aligning the predetermined crystallographic axis parallel to the longitudinal axis of the light source.

- Page 48 -

- 63. (Withdrawn) A filament comprising, in combination:
- a) elongated filamentary means for emitting radiation in a range of wavelengths in response to resistance heating; and
- b) means for filtering, surrounding the filamentary means for emitting radiation, the filtering means comprising a photonic crystal, the photonic crystal being disposed surrounding the filamentary means for emitting radiation, and the photonic crystal having a band-gap adapted to reduce the emission of selected wavelengths at least partially within the range of wavelengths.
  - 64. (Withdrawn) An electrical device comprising:
  - a) a support,

t61-96-134

- b) a transparent envelope secured to the support and forming an enclosure therewith,
  - c) a filament having a metal core portion, and
- d) an input for electrical energy secured to the support and electrically coupled to the filament, the metal core portion of the filament being coated with a photonic crystal material which is effective in reducing emission of selected wavelengths of radiation during the resistance heating of the filament when electrical energy is conducted to the input and to the metal core portion of the filament.
- 65. (Withdrawn) The electrical device of claim 64, wherein the selected wavelengths of radiation are selected infrared wavelengths and the photonic crystal material has a photonic band-gap corresponding to the selected infrared wavelengths.
- 66. (Withdrawn) The electrical device of claim 64, wherein the metal core portion of the filament has a longitudinal axis, the photonic crystal material has crystallographic axes, and a selected one of the crystallographic axes of the photonic crystal material is aligned substantially parallel to the longitudinal axis of the metal core portion of the filament.

- Page 49 -

### **EVIDENCE APPENDIX**

There is no evidence previously submitted under 37 C.F.R. §§ 1.130, 1.131, or 1.132, or other evidence entered by the Examiner and relied upon by Appellant in this appeal. Accordingly, the requirements of 37 C.F.R. §§ 41.37(c)(1)(ix) are satisfied.

### **RELATED PROCEEDINGS APPENDIX**

There are no decisions rendered by a Court or the Board in a proceeding identified in the Related Appeals and Interferences section.

Accordingly, the requirements of 37 C.F.R. §§ 41.37(c)(1)(x) are satisfied.